




*PROFESSIONAL DEVICE*



**Electrosurgical  
Instruments**



*100% TURKISH PRODUCTION*

# 1 European Bipolar Forceps



## European Bipolar Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	110-150-05	110-150-07	110-150-10	110-150-12	110-150-15	110-150-20
15 cm European connector Non-Stick	NS 110-150-05	NS 110-150-07	NS 110-150-10	NS 110-150-12	NS 110-150-15	NS 110-150-20
16 cm European connector	110-160-05	110-160-07	110-160-10	110-160-12	110-160-15	110-160-20
16 cm European connector Non-Stick	NS 110-160-05	NS 110-160-07	NS 110-160-10	NS 110-160-12	NS 110-160-15	NS 110-160-20
17 cm European connector	110-170-05	110-170-07	110-170-10	110-170-12	110-170-15	110-170-20
17 cm European connector Non-Stick	NS 110-170-05	NS 110-170-07	NS 110-170-10	NS 110-170-12	NS 110-170-15	NS 110-170-20
18 cm European connector	110-180-05	110-180-07	110-180-10	110-180-12	110-180-15	110-180-20
18 cm European connector Non-Stick	NS 110-180-05	NS 110-180-07	NS 110-180-10	NS 110-180-12	NS 110-180-15	NS 110-180-20
19 cm European connector	110-190-05	110-190-07	110-190-10	110-190-12	110-190-15	110-190-20
19 cm European connector Non-Stick	NS 110-190-05	NS 110-190-07	NS 110-190-10	NS 110-190-12	NS 110-190-15	NS 110-190-20
20 cm European connector	110-200-05	110-200-07	110-200-10	110-200-12	110-200-15	110-200-20
20 cm European connector Non-Stick	NS 110-200-05	NS 110-200-07	NS 110-200-10	NS 110-200-12	NS 110-200-15	NS 110-200-20
21 cm European connector	110-210-05	110-210-07	110-210-10	110-210-12	110-210-15	110-210-20
21 cm European connector Non-Stick	NS 110-210-05	NS 110-210-07	NS 110-210-10	NS 110-210-12	NS 110-210-15	NS 110-210-20
22 cm European connector	110-220-05	110-220-07	110-220-10	110-220-12	110-220-15	110-220-20
22 cm European connector Non-Stick	NS 110-220-05	NS 110-220-07	NS 110-220-10	NS 110-220-12	NS 110-220-15	NS 110-220-20
23 cm European connector	110-230-05	110-230-07	110-230-10	110-230-12	110-230-15	110-230-20
23 cm European connector Non-Stick	NS 110-230-05	NS 110-230-07	NS 110-230-10	NS 110-230-12	NS 110-230-15	NS 110-230-20
24 cm European connector	110-240-05	110-240-07	110-240-10	110-240-12	110-240-15	110-240-20
24 cm European connector Non-Stick	NS 110-240-05	NS 110-240-07	NS 110-240-10	NS 110-240-12	NS 110-240-15	NS 110-240-20



## European Bipolar Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	210-150-05	210-150-07	210-150-10	210-150-12	210-150-15	210-150-20
15 cm European connector Non-Stick	NS 210-150-05	NS 210-150-07	NS 210-150-10	NS 210-150-12	NS 210-150-15	NS 210-150-20
16 cm European connector	210-160-05	210-160-07	210-160-10	210-160-12	210-160-15	210-160-20
16 cm European connector Non-Stick	NS 210-160-05	NS 210-160-07	NS 210-160-10	NS 210-160-12	NS 210-160-15	NS 210-160-20
17 cm European connector	210-170-05	210-170-07	210-170-10	210-170-12	210-170-15	210-170-20
17 cm European connector Non-Stick	NS 210-170-05	NS 210-170-07	NS 210-170-10	NS 210-170-12	NS 210-170-15	NS 210-170-20
18 cm European connector	210-180-05	210-180-07	210-180-10	210-180-12	210-180-15	210-180-20
18 cm European connector Non-Stick	NS 210-180-05	NS 210-180-07	NS 210-180-10	NS 210-180-12	NS 210-180-15	NS 210-180-20
19 cm European connector	210-190-05	210-190-07	210-190-10	210-190-12	210-190-15	210-190-20
19 cm European connector Non-Stick	NS 210-190-05	NS 210-190-07	NS 210-190-10	NS 210-190-12	NS 210-190-15	NS 210-190-20
20 cm European connector	210-200-05	210-200-07	210-200-10	210-200-12	210-200-15	210-200-20
20 cm European connector Non-Stick	NS 210-200-05	NS 210-200-07	NS 210-200-10	NS 210-200-12	NS 210-200-15	NS 210-200-20
21 cm European connector	210-210-05	210-210-07	210-210-10	210-210-12	210-210-15	210-210-20
21 cm European connector Non-Stick	NS 210-210-05	NS 210-210-07	NS 210-210-10	NS 210-210-12	NS 210-210-15	NS 210-210-20
22 cm European connector	210-220-05	210-220-07	210-220-10	210-220-12	210-220-15	210-220-20
22 cm European connector Non-Stick	NS 210-220-05	NS 210-220-07	NS 210-220-10	NS 210-220-12	NS 210-220-15	NS 210-220-20
23 cm European connector	210-230-05	210-230-07	210-230-10	210-230-12	210-230-15	210-230-20
23 cm European connector Non-Stick	NS 210-230-05	NS 210-230-07	NS 210-230-10	NS 210-230-12	NS 210-230-15	NS 210-230-20
24 cm European connector	210-240-05	210-240-07	210-240-10	210-240-12	210-240-15	210-240-20
24 cm European connector Non-Stick	NS 210-240-05	NS 210-240-07	NS 210-240-10	NS 210-240-12	NS 210-240-15	NS 210-240-20



## European Bipolar Angled - Down Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	310-150-05	310-150-07	310-150-10	310-150-12	310-150-15	310-150-20
15 cm European connector Non-Stick	NS 310-150-05	NS 310-150-07	NS 310-150-10	NS 310-150-12	NS 310-150-15	NS 310-150-20
16 cm European connector	310-160-05	310-160-07	310-160-10	310-160-12	310-160-15	310-160-20
16 cm European connector Non-Stick	NS 310-160-05	NS 310-160-07	NS 310-160-10	NS 310-160-12	NS 310-160-15	NS 310-160-20
17 cm European connector	310-170-05	310-170-07	310-170-10	310-170-12	310-170-15	310-170-20
17 cm European connector Non-Stick	NS 310-170-05	NS 310-170-07	NS 310-170-10	NS 310-170-12	NS 310-170-15	NS 310-170-20
18 cm European connector	310-180-05	310-180-07	310-180-10	310-180-12	310-180-15	310-180-20
18 cm European connector Non-Stick	NS 310-180-05	NS 310-180-07	NS 310-180-10	NS 310-180-12	NS 310-180-15	NS 310-180-20
19 cm European connector	310-190-05	310-190-07	310-190-10	310-190-12	310-190-15	310-190-20
19 cm European connector Non-Stick	NS 310-190-05	NS 310-190-07	NS 310-190-10	NS 310-190-12	NS 310-190-15	NS 310-190-20
20 cm European connector	310-200-05	310-200-07	310-200-10	310-200-12	310-200-15	310-200-20
20 cm European connector Non-Stick	NS 310-200-05	NS 310-200-07	NS 310-200-10	NS 310-200-12	NS 310-200-15	NS 310-200-20
21 cm European connector	310-210-05	310-210-07	310-210-10	310-210-12	310-210-15	310-210-20
21 cm European connector Non-Stick	NS 310-210-05	NS 310-210-07	NS 310-210-10	NS 310-210-12	NS 310-210-15	NS 310-210-20
22 cm European connector	310-220-05	310-220-07	310-220-10	310-220-12	310-220-15	310-220-20
22 cm European connector Non-Stick	NS 310-220-05	NS 310-220-07	NS 310-220-10	NS 310-220-12	NS 310-220-15	NS 310-220-20
23 cm European connector	310-230-05	310-230-07	310-230-10	310-230-12	310-230-15	310-230-20
23 cm European connector Non-Stick	NS 310-230-05	NS 310-230-07	NS 310-230-10	NS 310-230-12	NS 310-230-15	NS 310-230-20
24 cm European connector	310-240-05	310-240-07	310-240-10	310-240-12	310-240-15	310-240-20
24 cm European connector Non-Stick	NS 310-240-05	NS 310-240-07	NS 310-240-10	NS 310-240-12	NS 310-240-15	NS 310-240-20



## European Bipolar Angled - Up Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	410-150-05	410-150-07	410-150-10	410-150-12	410-150-15	410-150-20
15 cm European connector Non-Stick	NS 410-150-05	NS 410-150-07	NS 410-150-10	NS 410-150-12	NS 410-150-15	NS 410-150-20
16 cm European connector	410-160-05	410-160-07	410-160-10	410-160-12	410-160-15	410-160-20
16 cm European connector Non-Stick	NS 410-160-05	NS 410-160-07	NS 410-160-10	NS 410-160-12	NS 410-160-15	NS 410-160-20
17 cm European connector	410-170-05	410-170-07	410-170-10	410-170-12	410-170-15	410-170-20
17 cm European connector Non-Stick	NS 410-170-05	NS 410-170-07	NS 410-170-10	NS 410-170-12	NS 410-170-15	NS 410-170-20
18 cm European connector	410-180-05	410-180-07	410-180-10	410-180-12	410-180-15	410-180-20
18 cm European connector Non-Stick	NS 410-180-05	NS 410-180-07	NS 410-180-10	NS 410-180-12	NS 410-180-15	NS 410-180-20
19 cm European connector	410-190-05	410-190-07	410-190-10	410-190-12	410-190-15	410-190-20
19 cm European connector Non-Stick	NS 410-190-05	NS 410-190-07	NS 410-190-10	NS 410-190-12	NS 410-190-15	NS 410-190-20
20 cm European connector	410-200-05	410-200-07	410-200-10	410-200-12	410-200-15	410-200-20
20 cm European connector Non-Stick	NS 410-200-05	NS 410-200-07	NS 410-200-10	NS 410-200-12	NS 410-200-15	NS 410-200-20
21 cm European connector	410-210-05	410-210-07	410-210-10	410-210-12	410-210-15	410-210-20
21 cm European connector Non-Stick	NS 410-210-05	NS 410-210-07	NS 410-210-10	NS 410-210-12	NS 410-210-15	NS 410-210-20
22 cm European connector	410-220-05	410-220-07	410-220-10	410-220-12	410-220-15	410-220-20
22 cm European connector Non-Stick	NS 410-220-05	NS 410-220-07	NS 410-220-10	NS 410-220-12	NS 410-220-15	NS 410-220-20
23 cm European connector	410-230-05	410-230-07	410-230-10	410-230-12	410-230-15	410-230-20
23 cm European connector Non-Stick	NS 410-230-05	NS 410-230-07	NS 410-230-10	NS 410-230-12	NS 410-230-15	NS 410-230-20
24 cm European connector	410-240-05	410-240-07	410-240-10	410-240-12	410-240-15	410-240-20
24 cm European connector Non-Stick	NS 410-240-05	NS 410-240-07	NS 410-240-10	NS 410-240-12	NS 410-240-15	NS 410-240-20



### European Bipolar Angled - Down Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	510-150-05	510-150-07	510-150-10	510-150-12	510-150-15	510-150-20
15 cm European connector Non-Stick	NS 510-150-05	NS 510-150-07	NS 510-150-10	NS 510-150-12	NS 510-150-15	NS 510-150-20
16 cm European connector	510-160-05	510-160-07	510-160-10	510-160-12	510-160-15	510-160-20
16 cm European connector Non-Stick	NS 510-160-05	NS 510-160-07	NS 510-160-10	NS 510-160-12	NS 510-160-15	NS 510-160-20
17 cm European connector	510-170-05	510-170-07	510-170-10	510-170-12	510-170-15	510-170-20
17 cm European connector Non-Stick	NS 510-170-05	NS 510-170-07	NS 510-170-10	NS 510-170-12	NS 510-170-15	NS 510-170-20
18 cm European connector	510-180-05	510-180-07	510-180-10	510-180-12	510-180-15	510-180-20
18 cm European connector Non-Stick	NS 510-180-05	NS 510-180-07	NS 510-180-10	NS 510-180-12	NS 510-180-15	NS 510-180-20
19 cm European connector	510-190-05	510-190-07	510-190-10	510-190-12	510-190-15	510-190-20
19 cm European connector Non-Stick	NS 510-190-05	NS 510-190-07	NS 510-190-10	NS 510-190-12	NS 510-190-15	NS 510-190-20
20 cm European connector	510-200-05	510-200-07	510-200-10	510-200-12	510-200-15	510-200-20
20 cm European connector Non-Stick	NS 510-200-05	NS 510-200-07	NS 510-200-10	NS 510-200-12	NS 510-200-15	NS 510-200-20
21 cm European connector	510-210-05	510-210-07	510-210-10	510-210-12	510-210-15	510-210-20
21 cm European connector Non-Stick	NS 510-210-05	NS 510-210-07	NS 510-210-10	NS 510-210-12	NS 510-210-15	NS 510-210-20
22 cm European connector	510-220-05	510-220-07	510-220-10	510-220-12	510-220-15	510-220-20
22 cm European connector Non-Stick	NS 510-220-05	NS 510-220-07	NS 510-220-10	NS 510-220-12	NS 510-220-15	NS 510-220-20
23 cm European connector	510-230-05	510-230-07	510-230-10	510-230-12	510-230-15	510-230-20
23 cm European connector Non-Stick	NS 510-230-05	NS 510-230-07	NS 510-230-10	NS 510-230-12	NS 510-230-15	NS 510-230-20
24 cm European connector	510-240-05	510-240-07	510-240-10	510-240-12	510-240-15	510-240-20
24 cm European connector Non-Stick	NS 510-240-05	NS 510-240-07	NS 510-240-10	NS 510-240-12	NS 510-240-15	NS 510-240-20



### European Bipolar Angled - Up Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm European connector	610-150-05	610-150-07	610-150-10	610-150-12	610-150-15	610-150-20
15 cm European connector Non-Stick	NS 610-150-05	NS 610-150-07	NS 610-150-10	NS 610-150-12	NS 610-150-15	NS 610-150-20
16 cm European connector	610-160-05	610-160-07	610-160-10	610-160-12	610-160-15	610-160-20
16 cm European connector Non-Stick	NS 610-160-05	NS 610-160-07	NS 610-160-10	NS 610-160-12	NS 610-160-15	NS 610-160-20
17 cm European connector	610-170-05	610-170-07	610-170-10	610-170-12	610-170-15	610-170-20
17 cm European connector Non-Stick	NS 610-170-05	NS 610-170-07	NS 610-170-10	NS 610-170-12	NS 610-170-15	NS 610-170-20
18 cm European connector	610-180-05	610-180-07	610-180-10	610-180-12	610-180-15	610-180-20
18 cm European connector Non-Stick	NS 610-180-05	NS 610-180-07	NS 610-180-10	NS 610-180-12	NS 610-180-15	NS 610-180-20
19 cm European connector	610-190-05	610-190-07	610-190-10	610-190-12	610-190-15	610-190-20
19 cm European connector Non-Stick	NS 610-190-05	NS 610-190-07	NS 610-190-10	NS 610-190-12	NS 610-190-15	NS 610-190-20
20 cm European connector	610-200-05	610-200-07	610-200-10	610-200-12	610-200-15	610-200-20
20 cm European connector Non-Stick	NS 610-200-05	NS 610-200-07	NS 610-200-10	NS 610-200-12	NS 610-200-15	NS 610-200-20
21 cm European connector	610-210-05	610-210-07	610-210-10	610-210-12	610-210-15	610-210-20
21 cm European connector Non-Stick	NS 610-210-05	NS 610-210-07	NS 610-210-10	NS 610-210-12	NS 610-210-15	NS 610-210-20
22 cm European connector	610-220-05	610-220-07	610-220-10	610-220-12	610-220-15	610-220-20
22 cm European connector Non-Stick	NS 610-220-05	NS 610-220-07	NS 610-220-10	NS 610-220-12	NS 610-220-15	NS 610-220-20
23 cm European connector	610-230-05	610-230-07	610-230-10	610-230-12	610-230-15	610-230-20
23 cm European connector Non-Stick	NS 610-230-05	NS 610-230-07	NS 610-230-10	NS 610-230-12	NS 610-230-15	NS 610-230-20
24 cm European connector	610-240-05	610-240-07	610-240-10	610-240-12	610-240-15	610-240-20
24 cm European connector Non-Stick	NS 610-240-05	NS 610-240-07	NS 610-240-10	NS 610-240-12	NS 610-240-15	NS 610-240-20



## American Bipolar Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	120-150-05	120-150-07	120-150-10	120-150-12	120-150-15	120-150-20
15 cm American connector Non-Stick	NS 120-150-05	NS 120-150-07	NS 120-150-10	NS 120-150-12	NS 120-150-15	NS 120-150-20
16 cm American connector	120-160-05	120-160-07	120-160-10	120-160-12	120-160-15	120-160-20
16 cm American connector Non-Stick	NS 120-160-05	NS 120-160-07	NS 120-160-10	NS 120-160-12	NS 120-160-15	NS 120-160-20
17 cm American connector	120-170-05	120-170-07	120-170-10	120-170-12	120-170-15	120-170-20
17 cm American connector Non-Stick	NS 120-170-05	NS 120-170-07	NS 120-170-10	NS 120-170-12	NS 120-170-15	NS 120-170-20
18 cm American connector	120-180-05	120-180-07	120-180-10	120-180-12	120-180-15	120-180-20
18 cm American connector Non-Stick	NS 120-180-05	NS 120-180-07	NS 120-180-10	NS 120-180-12	NS 120-180-15	NS 120-180-20
19 cm American connector	120-190-05	120-190-07	120-190-10	120-190-12	120-190-15	120-190-20
19 cm American connector Non-Stick	NS 120-190-05	NS 120-190-07	NS 120-190-10	NS 120-190-12	NS 120-190-15	NS 120-190-20
20 cm American connector	120-200-05	120-200-07	120-200-10	120-200-12	120-200-15	120-200-20
20 cm American connector Non-Stick	NS 120-200-05	NS 120-200-07	NS 120-200-10	NS 120-200-12	NS 120-200-15	NS 120-200-20
21 cm American connector	120-210-05	120-210-07	120-210-10	120-210-12	120-210-15	120-210-20
21 cm American connector Non-Stick	NS 120-210-05	NS 120-210-07	NS 120-210-10	NS 120-210-12	NS 120-210-15	NS 120-210-20
22 cm American connector	120-220-05	120-220-07	120-220-10	120-220-12	120-220-15	120-220-20
22 cm American connector Non-Stick	NS 120-220-05	NS 120-220-07	NS 120-220-10	NS 120-220-12	NS 120-220-15	NS 120-220-20
23 cm American connector	120-230-05	120-230-07	120-230-10	120-230-12	120-230-15	120-230-20
23 cm American connector Non-Stick	NS 120-230-05	NS 120-230-07	NS 120-230-10	NS 120-230-12	NS 120-230-15	NS 120-230-20
24 cm American connector	120-240-05	120-240-07	120-240-10	120-240-12	120-240-15	120-240-20
24 cm American connector Non-Stick	NS 120-240-05	NS 120-240-07	NS 120-240-10	NS 120-240-12	NS 120-240-15	NS 120-240-20



## American Bipolar Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	220-150-05	220-150-07	220-150-10	220-150-12	220-150-15	220-150-20
15 cm American connector Non-Stick	NS 220-150-05	NS 220-150-07	NS 220-150-10	NS 220-150-12	NS 220-150-15	NS 220-150-20
16 cm American connector	220-160-05	220-160-07	220-160-10	220-160-12	220-160-15	220-160-20
16 cm American connector Non-Stick	NS 220-160-05	NS 220-160-07	NS 220-160-10	NS 220-160-12	NS 220-160-15	NS 220-160-20
17 cm American connector	220-170-05	220-170-07	220-170-10	220-170-12	220-170-15	220-170-20
17 cm American connector Non-Stick	NS 220-170-05	NS 220-170-07	NS 220-170-10	NS 220-170-12	NS 220-170-15	NS 220-170-20
18 cm American connector	220-180-05	220-180-07	220-180-10	220-180-12	220-180-15	220-180-20
18 cm American connector Non-Stick	NS 220-180-05	NS 220-180-07	NS 220-180-10	NS 220-180-12	NS 220-180-15	NS 220-180-20
19 cm American connector	220-190-05	220-190-07	220-190-10	220-190-12	220-190-15	220-190-20
19 cm American connector Non-Stick	NS 220-190-05	NS 220-190-07	NS 220-190-10	NS 220-190-12	NS 220-190-15	NS 220-190-20
20 cm American connector	220-200-05	220-200-07	220-200-10	220-200-12	220-200-15	220-200-20
20 cm American connector Non-Stick	NS 220-200-05	NS 220-200-07	NS 220-200-10	NS 220-200-12	NS 220-200-15	NS 220-200-20
21 cm American connector	220-210-05	220-210-07	220-210-10	220-210-12	220-210-15	220-210-20
21 cm American connector Non-Stick	NS 220-210-05	NS 220-210-07	NS 220-210-10	NS 220-210-12	NS 220-210-15	NS 220-210-20
22 cm American connector	220-220-05	220-220-07	220-220-10	220-220-12	220-220-15	220-220-20
22 cm American connector Non-Stick	NS 220-220-05	NS 220-220-07	NS 220-220-10	NS 220-220-12	NS 220-220-15	NS 220-220-20
23 cm American connector	220-230-05	220-230-07	220-230-10	220-230-12	220-230-15	220-230-20
23 cm American connector Non-Stick	NS 220-230-05	NS 220-230-07	NS 220-230-10	NS 220-230-12	NS 220-230-15	NS 220-230-20
24 cm American connector	220-240-05	220-240-07	220-240-10	220-240-12	220-240-15	220-240-20
24 cm American connector Non-Stick	NS 220-240-05	NS 220-240-07	NS 220-240-10	NS 220-240-12	NS 220-240-15	NS 220-240-20

# 5 American Bipolar Forceps



## American Bipolar Angled - Down Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	320-150-05	320-150-07	320-150-10	320-150-12	320-150-15	320-150-20
15 cm American connector Non-Stick	NS 320-150-05	NS 320-150-07	NS 320-150-10	NS 320-150-12	NS 320-150-15	NS 320-150-20
16 cm American connector	320-160-05	320-160-07	320-160-10	320-160-12	320-160-15	320-160-20
16 cm American connector Non-Stick	NS 320-160-05	NS 320-160-07	NS 320-160-10	NS 320-160-12	NS 320-160-15	NS 320-160-20
17 cm American connector	320-170-05	320-170-07	320-170-10	320-170-12	320-170-15	320-170-20
17 cm American connector Non-Stick	NS 320-170-05	NS 320-170-07	NS 320-170-10	NS 320-170-12	NS 320-170-15	NS 320-170-20
18 cm American connector	320-180-05	320-180-07	320-180-10	320-180-12	320-180-15	320-180-20
18 cm American connector Non-Stick	NS 320-180-05	NS 320-180-07	NS 320-180-10	NS 320-180-12	NS 320-180-15	NS 320-180-20
19 cm American connector	320-190-05	320-190-07	320-190-10	320-190-12	320-190-15	320-190-20
19 cm American connector Non-Stick	NS 320-190-05	NS 320-190-07	NS 320-190-10	NS 320-190-12	NS 320-190-15	NS 320-190-20
20 cm American connector	320-200-05	320-200-07	320-200-10	320-200-12	320-200-15	320-200-20
20 cm American connector Non-Stick	NS 320-200-05	NS 320-200-07	NS 320-200-10	NS 320-200-12	NS 320-200-15	NS 320-200-20
21 cm American connector	320-210-05	320-210-07	320-210-10	320-210-12	320-210-15	320-210-20
21 cm American connector Non-Stick	NS 320-210-05	NS 320-210-07	NS 320-210-10	NS 320-210-12	NS 320-210-15	NS 320-210-20
22 cm American connector	320-220-05	320-220-07	320-220-10	320-220-12	320-220-15	320-220-20
22 cm American connector Non-Stick	NS 320-220-05	NS 320-220-07	NS 320-220-10	NS 320-220-12	NS 320-220-15	NS 320-220-20
23 cm American connector	320-230-05	320-230-07	320-230-10	320-230-12	320-230-15	320-230-20
23 cm American connector Non-Stick	NS 320-230-05	NS 320-230-07	NS 320-230-10	NS 320-230-12	NS 320-230-15	NS 320-230-20
24 cm American connector	320-240-05	320-240-07	320-240-10	320-240-12	320-240-15	320-240-20
24 cm American connector Non-Stick	NS 320-240-05	NS 320-240-07	NS 320-240-10	NS 320-240-12	NS 320-240-15	NS 320-240-20



## American Bipolar Angled - Up Straight Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	420-150-05	420-150-07	420-150-10	420-150-12	420-150-15	420-150-20
15 cm American connector Non-Stick	NS 420-150-05	NS 420-150-07	NS 420-150-10	NS 420-150-12	NS 420-150-15	NS 420-150-20
16 cm American connector	420-160-05	420-160-07	420-160-10	420-160-12	420-160-15	420-160-20
16 cm American connector Non-Stick	NS 420-160-05	NS 420-160-07	NS 420-160-10	NS 420-160-12	NS 420-160-15	NS 420-160-20
17 cm American connector	420-170-05	420-170-07	420-170-10	420-170-12	420-170-15	420-170-20
17 cm American connector Non-Stick	NS 420-170-05	NS 420-170-07	NS 420-170-10	NS 420-170-12	NS 420-170-15	NS 420-170-20
18 cm American connector	420-180-05	420-180-07	420-180-10	420-180-12	420-180-15	420-180-20
18 cm American connector Non-Stick	NS 420-180-05	NS 420-180-07	NS 420-180-10	NS 420-180-12	NS 420-180-15	NS 420-180-20
19 cm American connector	420-190-05	420-190-07	420-190-10	420-190-12	420-190-15	420-190-20
19 cm American connector Non-Stick	NS 420-190-05	NS 420-190-07	NS 420-190-10	NS 420-190-12	NS 420-190-15	NS 420-190-20
20 cm American connector	420-200-05	420-200-07	420-200-10	420-200-12	420-200-15	420-200-20
20 cm American connector Non-Stick	NS 420-200-05	NS 420-200-07	NS 420-200-10	NS 420-200-12	NS 420-200-15	NS 420-200-20
21 cm American connector	420-210-05	420-210-07	420-210-10	420-210-12	420-210-15	420-210-20
21 cm American connector Non-Stick	NS 420-210-05	NS 420-210-07	NS 420-210-10	NS 420-210-12	NS 420-210-15	NS 420-210-20
22 cm American connector	420-220-05	420-220-07	420-220-10	420-220-12	420-220-15	420-220-20
22 cm American connector Non-Stick	NS 420-220-05	NS 420-220-07	NS 420-220-10	NS 420-220-12	NS 420-220-15	NS 420-220-20
23 cm American connector	420-230-05	420-230-07	420-230-10	420-230-12	420-230-15	420-230-20
23 cm American connector Non-Stick	NS 420-230-05	NS 420-230-07	NS 420-230-10	NS 420-230-12	NS 420-230-15	NS 420-230-20
24 cm American connector	420-240-05	420-240-07	420-240-10	420-240-12	420-240-15	420-240-20
24 cm American connector Non-Stick	NS 420-240-05	NS 420-240-07	NS 420-240-10	NS 420-240-12	NS 420-240-15	NS 420-240-20



## American Bipolar Angled - Down Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	520-150-05	520-150-07	520-150-10	520-150-12	520-150-15	520-150-20
15 cm American connector Non-Stick	NS 520-150-05	NS 520-150-07	NS 520-150-10	NS 520-150-12	NS 520-150-15	NS 520-150-20
16 cm American connector	520-160-05	520-160-07	520-160-10	520-160-12	520-160-15	520-160-20
16 cm American connector Non-Stick	NS 520-160-05	NS 520-160-07	NS 520-160-10	NS 520-160-12	NS 520-160-15	NS 520-160-20
17 cm American connector	520-170-05	520-170-07	520-170-10	520-170-12	520-170-15	520-170-20
17 cm American connector Non-Stick	NS 520-170-05	NS 520-170-07	NS 520-170-10	NS 520-170-12	NS 520-170-15	NS 520-170-20
18 cm American connector	520-180-05	520-180-07	520-180-10	520-180-12	520-180-15	520-180-20
18 cm American connector Non-Stick	NS 520-180-05	NS 520-180-07	NS 520-180-10	NS 520-180-12	NS 520-180-15	NS 520-180-20
19 cm American connector	520-190-05	520-190-07	520-190-10	520-190-12	520-190-15	520-190-20
19 cm American connector Non-Stick	NS 520-190-05	NS 520-190-07	NS 520-190-10	NS 520-190-12	NS 520-190-15	NS 520-190-20
20 cm American connector	520-200-05	520-200-07	520-200-10	520-200-12	520-200-15	520-200-20
20 cm American connector Non-Stick	NS 520-200-05	NS 520-200-07	NS 520-200-10	NS 520-200-12	NS 520-200-15	NS 520-200-20
21 cm American connector	520-210-05	520-210-07	520-210-10	520-210-12	520-210-15	520-210-20
21 cm American connector Non-Stick	NS 520-210-05	NS 520-210-07	NS 520-210-10	NS 520-210-12	NS 520-210-15	NS 520-210-20
22 cm American connector	520-220-05	520-220-07	520-220-10	520-220-12	520-220-15	520-220-20
22 cm American connector Non-Stick	NS 520-220-05	NS 520-220-07	NS 520-220-10	NS 520-220-12	NS 520-220-15	NS 520-220-20
23 cm American connector	520-230-05	520-230-07	520-230-10	520-230-12	520-230-15	520-230-20
23 cm American connector Non-Stick	NS 520-230-05	NS 520-230-07	NS 520-230-10	NS 520-230-12	NS 520-230-15	NS 520-230-20
24 cm American connector	520-240-05	520-240-07	520-240-10	520-240-12	520-240-15	520-240-20
24 cm American connector Non-Stick	NS 520-240-05	NS 520-240-07	NS 520-240-10	NS 520-240-12	NS 520-240-15	NS 520-240-20



## American Bipolar Angled - Up Bayonet Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip	1.2 Tip	1.5 Tip	2.0 Tip
15 cm American connector	620-150-05	620-150-07	620-150-10	620-150-12	620-150-15	620-150-20
15 cm American connector Non-Stick	NS 620-150-05	NS 620-150-07	NS 620-150-10	NS 620-150-12	NS 620-150-15	NS 620-150-20
16 cm American connector	620-160-05	620-160-07	620-160-10	620-160-12	620-160-15	620-160-20
16 cm American connector Non-Stick	NS 620-160-05	NS 620-160-07	NS 620-160-10	NS 620-160-12	NS 620-160-15	NS 620-160-20
17 cm American connector	620-170-05	620-170-07	620-170-10	620-170-12	620-170-15	620-170-20
17 cm American connector Non-Stick	NS 620-170-05	NS 620-170-07	NS 620-170-10	NS 620-170-12	NS 620-170-15	NS 620-170-20
18 cm American connector	620-180-05	620-180-07	620-180-10	620-180-12	620-180-15	620-180-20
18 cm American connector Non-Stick	NS 620-180-05	NS 620-180-07	NS 620-180-10	NS 620-180-12	NS 620-180-15	NS 620-180-20
19 cm American connector	620-190-05	620-190-07	620-190-10	620-190-12	620-190-15	620-190-20
19 cm American connector Non-Stick	NS 620-190-05	NS 620-190-07	NS 620-190-10	NS 620-190-12	NS 620-190-15	NS 620-190-20
20 cm American connector	620-200-05	620-200-07	620-200-10	620-200-12	620-200-15	620-200-20
20 cm American connector Non-Stick	NS 620-200-05	NS 620-200-07	NS 620-200-10	NS 620-200-12	NS 620-200-15	NS 620-200-20
21 cm American connector	620-210-05	620-210-07	620-210-10	620-210-12	620-210-15	620-210-20
21 cm American connector Non-Stick	NS 620-210-05	NS 620-210-07	NS 620-210-10	NS 620-210-12	NS 620-210-15	NS 620-210-20
22 cm American connector	620-220-05	620-220-07	620-220-10	620-220-12	620-220-15	620-220-20
22 cm American connector Non-Stick	NS 620-220-05	NS 620-220-07	NS 620-220-10	NS 620-220-12	NS 620-220-15	NS 620-220-20
23 cm American connector	620-230-05	620-230-07	620-230-10	620-230-12	620-230-15	620-230-20
23 cm American connector Non-Stick	NS 620-230-05	NS 620-230-07	NS 620-230-10	NS 620-230-12	NS 620-230-15	NS 620-230-20
24 cm American connector	620-240-05	620-240-07	620-240-10	620-240-12	620-240-15	620-240-20
24 cm American connector Non-Stick	NS 620-240-05	NS 620-240-07	NS 620-240-10	NS 620-240-12	NS 620-240-15	NS 620-240-20



### European Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm European connector	130-110-05	130-110-07	130-110-10
11 cm European connector Non-Stick	NS 130-110-05	NS 130-110-07	NS 130-110-10
12 cm European connector	130-120-05	130-120-07	130-120-10
12 cm European connector Non-Stick	NS 130-120-05	NS 130-120-07	NS 130-120-10
13 cm European connector	130-130-05	130-130-07	130-130-10
13 cm European connector Non-Stick	NS 130-130-05	NS 130-130-07	NS 130-130-10
14 cm European connector	130-140-05	130-140-07	130-140-10
14 cm European connector Non-Stick	NS 130-140-05	NS 130-140-07	NS 130-140-10
15 cm European connector	130-150-05	130-150-07	130-150-10
15 cm European connector Non-Stick	NS 130-150-05	NS 130-150-07	NS 130-150-10



### American Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm American connector	140-110-05	140-110-07	140-110-10
11 cm American connector Non-Stick	NS 140-110-05	NS 140-110-07	NS 140-110-10
12 cm American connector	140-120-05	140-120-07	140-120-10
12 cm American connector Non-Stick	NS 140-120-05	NS 140-120-07	NS 140-120-10
13 cm American connector	140-130-05	140-130-07	140-130-10
13 cm American connector Non-Stick	NS 140-130-05	NS 140-130-07	NS 140-130-10
14 cm American connector	140-140-05	140-140-07	140-140-10
14 cm American connector Non-Stick	NS 140-140-05	NS 140-140-07	NS 140-140-10
15 cm American connector	140-150-05	140-150-07	140-150-10
15 cm American connector Non-Stick	NS 140-150-05	NS 140-150-07	NS 140-150-10



### American Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm American connector	470-110-05	470-110-07	470-110-10
11 cm American connector Non-Stick	NS 470-110-05	NS 470-110-07	NS 470-110-10
12 cm American connector	470-120-05	470-120-07	470-120-10
12 cm American connector Non-Stick	NS 470-120-05	NS 470-120-07	NS 470-120-10
13 cm American connector	470-130-05	470-130-07	470-130-10
13 cm American connector Non-Stick	NS 470-130-05	NS 470-130-07	NS 470-130-10
14 cm American connector	470-140-05	470-140-07	470-140-10
14 cm American connector Non-Stick	NS 470-140-05	NS 470-140-07	NS 470-140-10
15 cm American connector	470-150-05	470-150-07	470-150-10
15 cm American connector Non-Stick	NS 470-150-05	NS 470-150-07	NS 470-150-10



## European Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm European connector	480-110-05	480-110-07	480-110-10
11 cm European connector Non-Stick	NS 480-110-05	NS 480-110-07	NS 480-110-10
12 cm European connector	480-120-05	480-120-07	480-120-10
12 cm European connector Non-Stick	NS 480-120-05	NS 480-120-07	NS 480-120-10
13 cm European connector	480-130-05	480-130-07	480-130-10
13 cm European connector Non-Stick	NS 480-130-05	NS 480-130-07	NS 480-130-10
14 cm European connector	480-140-05	480-140-07	480-140-10
14 cm European connector Non-Stick	NS 480-140-05	NS 480-140-07	NS 480-140-10
15 cm European connector	480-150-05	480-150-07	480-150-10
15 cm European connector Non-Stick	NS 480-150-05	NS 480-150-07	NS 480-150-10



## American Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm American connector	490-110-05	490-110-07	490-110-10
11 cm American connector Non-Stick	NS 490-110-05	NS 490-110-07	NS 490-110-10
12 cm American connector	490-120-05	490-120-07	490-120-10
12 cm American connector Non-Stick	NS 490-120-05	NS 490-120-07	NS 490-120-10
13 cm American connector	490-130-05	490-130-07	490-130-10
13 cm American connector Non-Stick	NS 490-130-05	NS 490-130-07	NS 490-130-10
14 cm American connector	490-140-05	490-140-07	490-140-10
14 cm American connector Non-Stick	NS 490-140-05	NS 490-140-07	NS 490-140-10
15 cm American connector	490-150-05	490-150-07	490-150-10
15 cm American connector Non-Stick	NS 490-150-05	NS 490-150-07	NS 490-150-10



## European Bipolar Ophthalmic Forceps

Description	0.5 Tip	0.7 Tip	1.0 Tip
11 cm European connector	500-110-05	500-110-07	500-110-10
11 cm European connector Non-Stick	NS 500-110-05	NS 500-110-07	NS 500-110-10
12 cm European connector	500-120-05	500-120-07	500-120-10
12 cm European connector Non-Stick	NS 500-120-05	NS 500-120-07	NS 500-120-10
13 cm European connector	500-130-05	500-130-07	500-130-10
13 cm European connector Non-Stick	NS 500-130-05	NS 500-130-07	NS 500-130-10
14 cm European connector	500-140-05	500-140-07	500-140-10
14 cm European connector Non-Stick	NS 500-140-05	NS 500-140-07	NS 500-140-10
15 cm European connector	500-150-05	500-150-07	500-150-10
15 cm European connector Non-Stick	NS 500-150-05	NS 500-150-07	NS 500-150-10



2.4 mm

Size	1.0 x 0.5 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm
7 cm	150-70-05	150-70-08	150-70-10	150-70-15	150-70-20
13 cm	150-130-05	150-130-08	150-130-10	150-130-15	150-130-20
15 cm	150-150-05	150-150-08	150-150-10	150-150-15	150-150-20



4.0 mm

Size	1.0 x 0.5 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm
7 cm	155-70-05	155-70-08	155-70-10	155-70-15	155-70-20
13 cm	155-130-05	155-130-08	155-130-10	155-130-15	155-130-20
15 cm	155-150-05	155-150-08	155-150-10	155-150-15	155-150-20




2.4 mm

Size	1.0 x 0.5 cm	1.0 x 1.5 cm	1.0 x 2.0 cm	1.5 x 1.5 cm	1.5 x 2.0 cm
7 cm	160-70-05	160-70-15	160-70-20	161-70-15	161-70-20
13 cm	160-130-05	160-130-15	160-130-20	161-130-15	161-130-20
15 cm	160-150-05	160-150-15	160-150-20	161-150-15	161-150-20




4.0 mm

Size	1.0 x 0.5 cm	1.0 x 1.5 cm	1.0 x 2.0 cm	1.5 x 1.5 cm	1.5 x 2.0 cm
7 cm	165-70-05	165-70-15	165-70-20	166-70-15	166-70-20
13 cm	165-130-05	165-130-15	165-130-20	166-130-15	166-130-20
15 cm	165-150-05	165-150-15	165-150-20	166-150-15	166-150-20




2.4 mm

Size	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 1.0 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
7 cm	170-70-10	170-70-15	171-70-10	171-70-15	170-70-20
13 cm	170-130-10	170-130-15	171-130-10	171-130-15	170-130-20
15 cm	170-150-10	170-150-15	171-150-10	171-150-15	170-150-20




4.0 mm

Size	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 1.0 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
7 cm	175-70-10	175-70-15	176-70-10	176-70-15	175-70-20
13 cm	175-130-10	175-130-15	176-130-10	176-130-15	175-130-20
15 cm	175-150-10	175-150-15	176-150-10	176-150-15	175-150-20



2.4 mm

Size	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm
7 cm	180-70-10	180-70-15	180-70-20	181-70-10	181-70-15	181-70-20
13 cm	180-130-10	180-130-15	180-130-20	181-130-10	181-130-15	181-130-20
15 cm	180-150-10	180-150-15	180-150-20	181-150-10	181-150-15	181-150-20



4.0 mm

Size	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm	1.0 x 1.0 cm	1.5 x 1.5 cm	2.0 x 2.0 cm
7 cm	185-70-10	185-70-15	185-70-20	186-70-10	186-70-15	181-70-20
13 cm	185-130-10	185-130-15	185-130-20	186-130-10	186-130-15	181-130-20
15 cm	185-150-10	185-150-15	185-150-20	186-150-10	186-150-15	181-150-20

# 11 Electrosurgical Electrodes



2.4 mm

Size	3.0 mm	4.0 mm	5.0 mm	6.0 mm
7 cm	250-70-30	250-70-40	250-70-50	250-70-60
13 cm	250-130-30	250-130-40	250-130-50	250-130-60
15 cm	250-150-30	250-150-40	250-150-50	250-150-60

4.0 mm

Size	3.0 mm	4.0 mm	5.0 mm	6.0 mm
7 cm	260-70-30	260-70-40	260-70-50	260-70-60
13 cm	260-130-30	260-130-40	260-130-50	260-130-60
15 cm	260-150-30	260-150-40	260-150-50	260-150-60



2.4 mm

Size	3.0 mm	4.0 mm	5.0 mm	6.0 mm
7 cm	270-70-30	270-70-40	270-70-50	270-70-60
13 cm	270-130-30	270-130-40	270-130-50	270-130-60
15 cm	270-150-30	270-150-40	270-150-50	270-150-60

4.0 mm

Size	3.0 mm	4.0 mm	5.0 mm	6.0 mm
7 cm	280-70-30	280-70-40	280-70-50	280-70-60
13 cm	280-130-30	280-130-40	280-130-50	280-130-60
15 cm	280-150-30	280-150-40	280-150-50	280-150-60



2.4 mm

Size	6.0 mm	8.0 mm	12.0 mm	15.0 mm
7 cm	350-70-60	350-70-80	350-70-120	350-70-150
13 cm	350-130-60	350-130-80	350-130-120	350-130-150
15 cm	350-150-60	350-150-80	350-150-120	350-150-150

4.0 mm

Size	6.0 mm	8.0 mm	12.0 mm	15.0 mm
7 cm	355-70-60	355-70-80	355-70-120	355-70-150
13 cm	355-130-60	355-130-80	355-130-120	355-130-150
15 cm	355-150-60	355-150-80	355-150-120	355-150-150



2.4 mm

Size	1.0 X 1.0 mm	1.0 x 1.5 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	360-70-10	360-70-15	361-70-15	360-70-20
13 cm	360-130-10	360-130-15	361-130-15	360-130-20
15 cm	360-150-10	360-150-15	361-150-15	360-150-20

4.0 mm

Size	1.0 X 1.0 mm	1.0 x 1.5 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	365-70-10	365-70-15	366-70-15	366-70-20
13 cm	365-130-10	365-130-15	366-130-15	366-130-20
15 cm	365-150-10	365-150-15	366-150-15	366-150-20



2.4 mm	Size			
	1.0 X 1.0 mm	1.0 x 1.5 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	370 - 70 - 10	370 - 70 - 15	371 - 70 - 15	370 - 70 - 20
13 cm	370 - 130 - 10	370 - 130 - 15	371 - 130 - 15	370 - 130 - 20
15 cm	370 - 150 - 10	370 - 150 - 15	371 - 150 - 15	370 - 150 - 20



4.0 mm	Size			
	1.0 X 1.0 mm	1.0 x 1.5 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	375 - 70 - 10	375 - 70 - 15	376 - 70 - 15	375 - 70 - 20
13 cm	375 - 130 - 10	375 - 130 - 15	376 - 130 - 15	375 - 130 - 20
15 cm	375 - 150 - 10	375 - 150 - 15	376 - 150 - 15	375 - 150 - 20



2.4 mm	Size			
	0.5 x 0.5 mm	1.0 x 1.0 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	380 - 70 - 05	380 - 70 - 10	380 - 70 - 15	380 - 70 - 20
13 cm	380 - 130 - 05	380 - 130 - 10	380 - 130 - 15	380 - 130 - 20
15 cm	380 - 150 - 05	380 - 150 - 10	380 - 150 - 15	380 - 150 - 20



4.0 mm	Size			
	0.5 x 0.5 mm	1.0 x 1.0 mm	1.5x 1.5 mm	2.0 x 2.0 mm
7 cm	385 - 70 - 05	385 - 70 - 10	385 - 70 - 15	385 - 70 - 20
13 cm	385 - 130 - 05	385 - 130 - 10	385 - 130 - 15	385 - 130 - 20
15 cm	385 - 150 - 05	385 - 150 - 10	385 - 150 - 15	385 - 150 - 20



2.4 mm	Size			
7 cm	450 - 70 - 01	450 - 70 - 02	450 - 70 - 03	450 - 70 - 04
13 cm	450 - 130 - 01	450 - 130 - 02	450 - 130 - 03	450 - 130 - 04
15 cm	450 - 150 - 01	450 - 150 - 02	450 - 150 - 03	450 - 150 - 04




4.0 mm	Size			
7 cm	455 - 70 - 01	455 - 70 - 02	455 - 70 - 03	455 - 70 - 04
13 cm	455 - 130 - 01	455 - 130 - 02	455 - 130 - 03	455 - 130 - 04
15 cm	455 - 150 - 01	455 - 150 - 02	455 - 150 - 03	455 - 150 - 04




2.4 mm	Size			
7 cm	460 - 70 - 01	460 - 70 - 02	460 - 70 - 03	460 - 70 - 04
13 cm	460 - 130 - 01	460 - 130 - 02	460 - 130 - 03	460 - 130 - 04
15 cm	460 - 150 - 01	460 - 150 - 02	460 - 150 - 03	460 - 150 - 04




4.0 mm	Size			
7 cm	465 - 70 - 01	465 - 70 - 02	465 - 70 - 03	465 - 70 - 04
13 cm	465 - 130 - 01	465 - 130 - 02	465 - 130 - 03	465 - 130 - 04
15 cm	465 - 150 - 01	465 - 150 - 02	465 - 150 - 03	465 - 150 - 04



**Reusable Patient Return Cable**  
for Disposable Plate  
Compatible: Erbe T-Series, Erbe Vio  
**RPR-01**



**Reusable Patient Return Cable**  
for Disposable Plate  
Compatible: Martin, Aesculap, Üzümcü  
**RPR-02**




**Reusable Patient Return Cable**  
for Disposable Plate  
Compatible: Petaş, Conmed, Valleylab, Meditom, Erbe, Bovie  
**RPR-03**



**Reusable Patient Return Cable**  
Compatible: Martin, Aesculap  
**RPR-04**




**Patient Return Cable**  
(3.10 & 5.0 m)  
**RPR-05**



**Reusable Patient Return Cable**  
Compatible: Petaş, Conmed, Valleylab, Meditom, Erbe, Bovie  
**RP-01**

**Silicon Return Plate**  
25x15 cm







**Bipolar Forceps Cable**

**Compatible:** Valleylab, Conmed, Meditom, Bovie, Petaş, Ellman, Erbe, Üzümcü



**BFC-01**



**Bipolar Forceps Cable**

**Compatible:** Valleylab, Conmed, Meditom, Bovie, Petaş, Erbe, Üzümcü



**BFC-02**



**Bipolar Forceps Cable**

**Compatible:** Valleylab, Conmed, Meditom, Bovie, Petaş, Erbe, Üzümcü



**BFC-03**



**Bipolar Forceps Cable**

**Compatible:** Aesculap, Wolf, Martin, Sutter, BM720


**BFC-04**



**Bipolar Forceps Cable**

**Compatible:** Aesculap, Wolf, Martin, Sutter, BM720


**BFC-05**



**Bipolar Forceps Cable**

**Compatible:** Aesculap, Martin, Wolf, Martin, Sutter, BM720


**BFC-06**



**Bipolar Forceps Cable**

**Compatible:** Excell, Alsatom

**BFC-07**



**Bipolar Forceps Cable**

**Compatible:** Erbe T-Series


**BFC-08**



## Monopolar Laparoscopy Cable

Compatible: Storz

MLC-01



## Monopolar Cable


MLC-05



## Monopolar Laparoscopy Cable

Compatible: Valleylab


MLC-02



## Monopolar Laparoscopy Cable

Compatible: Storz, Erbe

MLC-06



## Monopolar Laparoscopy Cable

Compatible: Bovie

MLC-03



## Monopolar Laparoscopy Cable

Compatible: Bovie

MLC-04



## Bipolar Laparoscopy Cable

Compatible: Ethicon

BLC-01





**60 Watt**  
Electrosurgical Units

**Technical Specification**

Cut & Coagulation:	60W
Cuaterization & Coagulation:	60W
Bipolar:	40W
Frequence:	350kHz
Voltage:	220V 50Hz
Size:	250x80x200mm
Weight:	2.0kg

**100 Watt**  
Electrosurgical Units

**Technical Specification**

Cut & Coagulation:	20-100W
Cuaterization & Coagulation:	20-100W
Bipolar:	20- 80W
Frequence:	350kHz
Voltage:	220V 50Hz
Size:	250x90x250mm
Weight:	3.5kg




**Disposable**  
Esu Pencil



**Reusable**  
Esu Pencil

**Esu Pedal**





Hot - Pack

Size
30 x 30 cm
30 x 40 cm
30 x 50 cm
30 x 60 cm


Patient Lift Belt



Disposable Tens Electrode  
(5x5 cm & 5x9 cm)



Tens Cable




8x12 cm





Carbon Electrodes For Tens

6x8 cm



5x5 cm



Electrode Sponge  
6x8 cm & 8x12 cm

